











Specification	
Weight Capacity	45 kg (99 lbs)
Maximum Dimension	192 x 192 x 180 mm (7.6 x 7.6 x 7.1 inch)
Tilt Angle	+/- 45°
Swivel	360°
Mass	4.8 kg (10.6 lbs)




02

CELLING MOUNT PN: 140-117100-XX







Specification	
Weight Capacity	45 kg (99 lbs)
Maximum Dimension	685 x 700 x 423 mm (27.0 x 27.6 x 16.7 inch)
Roll	± 3°
Pitch	± 3°
Yaw	± 3°




Up to three projectors can be stacked in landscape orientation.
A single projector can be positioned in portrait mode - DO NOT STACK.


NOTES:
1. PROJECTOR LENSES




18MM OR GREATER GAP REQUIRED
FOR AIRFLOW
WITH CELLING MOUNT 140-117100-XX,
SMALLER GAP COULD BE ACCEPTED IF
PASS THE THERMAL TEST



18MM OR GREATER GAP REQUIRED
FOR AIRFLOW
WITH CELLING MOUNT 140-117100-XX,
SMALLER GAP COULD BE ACCEPTED IF
PASS THE THERMAL TEST





PN	DESCRIPTION	SHIPPING WEIGHT	NET WEIGHT
140-119102-XX	Optional Lens (TR: 0.75~0.95)	1.2 kg (2.6 lbs)	0.9 kg (2.0 lbs)
140-101103-XX	Optional Lens (TR: 0.95~1.22)	0.9 kg (2.0 lbs)	0.6 kg (1.3 lbs)
140-131106-XX	Standard Lens (TR: 1.22~1.52)	1.2 kg (2.7 lbs)	0.9 kg (2.0 lbs)
140-102104-XX	Optional Lens (TR: 1.52~2.89)	1.1 kg (2.4 lbs)	0.8 kg (1.8 lbs)
140-107109-XX	Optional Lens (TR: 2.90~5.50)	1.35 kg (3.0 lbs)	1.05 kg (2.3 lbs)